

Aireworth Vets 
SMALL ANIMAL 

AURAL HAEMATOMAS



Aireworth Vets 
SMALL ANIMAL 

If you have any further queries regarding the welfare of your pet, please do not hesitate to ask a member of staff

We are happy to assist!

Aireworth Road, Keighley, West Yorkshire BD21 4DJ
Tel: 01535 602988
Fax: 01535 691498
Email: Admin@aireworthvets.co.uk

Aireworth Veterinary Centre
Aireworth Road
Keighley
BD21 4DJ
Tel: 01535 602988
Fax: 01535 691498
Email: admin@aireworthvets.co.uk

What is a haematoma of the ear, and how does it occur?

An aural (ear) haematoma is a collection of blood or serum, and sometimes a blood clot within the pinna or ear flap. This blood collects under the skin and causes the ear flap to become thickened. The swelling may involve the entire ear flap or it may involve only one area. Aural haematomas usually occur as a result of local irritation to some part of the ear. When something irritates the ear canal, the dog responds by scratching or shaking the head. Excessive shaking causes blood vessels to break, resulting in bleeding. An understanding of the ear's anatomy makes the sequence of events more logical. The ear flap is composed of a layer of skin on each side of a layer of cartilage. The cartilage gives the ear flap its shape. Blood vessels go from side-to-side by passing through the cartilage. Violent shaking causes the vessels to break as the skin slides across the cartilage.



How is it treated?

There are several steps in treatment:

1. The blood is removed from the pinna by making an incision over the haematoma. On some occasions the fluid may be drained and the haematoma injected without incision.
2. The space where the blood accumulated is obliterated by a series of sutures which pass through the ear flap. Since the skin over the haematoma has been pushed away from the cartilage, it must be reattached to it to prevent another haematoma forming.

Another important aspect of treatment is dealing with the cause of the shaking. If an infection is present, medication is dispensed to treat it. However, some dogs have no infection but have foreign material (a tick, piece of grass, etc.) lodged in the ear canal. If so, the foreign material is removed. It is also possible that a foreign body initiated the shaking but was later dislodged. If that occurs, and no infection is present, further treatment of the ear canal is not needed.

What if I leave it alone?

If left alone, an ear haematoma will resolve by itself. The fluid will be re-absorbed back into the body and the ear flap will again be flat. The problem is that a lot of scarring is associated with this process and the ear is often not cosmetically appealing afterwards (a "cauliflower" ear). It can also take several months to resolve a large hematoma which is uncomfortable for the pet.



Will I need to bring my dog back for further treatment?

The sutures are generally removed in about 10-14 days. At that time, the haematoma is usually healed. If discharge occurs from the holes before they close, it should be cleaned off with an antiseptic solution. If an infection was present, it will be necessary to recheck the ear canal to be sure that the infection is gone. Otherwise, another haematoma may occur.

